

**Policy Number:                   Local Planning Policy No x**  
**Policy Title:                     Sustainable Development**

**1.       Citation**

This is a Local Planning Policy prepared under Schedule 2 of the *Planning and Development (Local Planning Schemes) Regulations 2015*. This Policy may be cited as Local Planning Policy No. x – Sustainable Development.

**2.       Policy Statement**

The Town recognises the increasing importance of sustainable development and its benefits including reduced greenhouse gas emissions, reduced utility bills and an increased natural comfort level for occupants.

Simple yet effective measures can be implemented to minimise energy and water use, enabling the Town to create a more sustainable future.

**3.       Policy Objectives**

- (a) To enact Clause 4.3.1.2 of Local Planning Scheme No. 10 (LPS 10), which relates to development of land designated with a split residential density code on the scheme map.
- (b) To clearly outline the criteria and design standards for the sustainable design of residential development; providing a framework for assessing whether residential developments have adopted sustainable design principles.
- (c) To encourage and facilitate sustainable built form development throughout the district.

**4.       Application**

This policy applies to applications for single houses, grouped dwellings and multiple dwellings (up to an including R35 only) but not to applications for multiple dwellings in areas coded R40 and above, which will be assessed against State Planning Policy 7.3 – Residential Design Codes – Volume 2 – Apartments.

Section 6.1 of the Policy only applies to those applications for development approval for land that is designated with a split residential density code under LPS 10 and seeks approval at the middle or higher residential coding.

Section 6.2 of the Policy applies to all applications for development approval that involve the construction of new dwellings.

## 5. Definitions

**NatHERS:** *the Nationwide House Energy Rating Scheme which measures a home's energy efficiency to generate a star rating. It is one option to demonstrate compliance with the minimum energy efficiency standards for new buildings outlined in the Building Code of Australia. For further information, see [www.nathers.gov.au](http://www.nathers.gov.au)*

**Rain Garden:** *a garden comprising native shrubs, perennials and flowers planted in a small depression to filter and treat stormwater runoff.*

## 6. Policy Requirements

### 6.1 Split Density Coded Sites

#### 6.1.1 New Dwellings

Each new dwelling shall achieve a minimum 70 efficiency points as assessed against the checklist contained as Attachment A, or alternatively, comply with all of the following requirements:

- (a) Each individual dwelling shall demonstrate a NatHERS star rating (or other comparable star rating measurement tool which is accredited by the National Construction Code / Building Code of Australia) which is one star in excess of the current energy efficiency requirement of the Building Code of Australia specified for a class 1A building.
- (b) The NatHERS (or other accredited equivalent) star rating for the dwelling shall be certified by a NatHERS (or other accredited equivalent) energy assessor using the NatHERS (or other accredited equivalent) software and shall be provided as part of the application for development approval.
- (c) A rain garden with an area no less than 2% of the roof cover. For example, a dwelling with 100m<sup>2</sup> of roof cover will require a rain garden of at least 2m<sup>2</sup>.

#### 6.1.2 Retained Dwellings

Where an existing dwelling is proposed to be retained as part of a development, the retained dwelling must be upgraded to incorporate all of the following sustainable elements:

- (a) A minimum 3kw photovoltaic solar panel system; and
- (b) A minimum 3,000L capacity rainwater tank that is plumbed to either a toilet or laundry within the dwelling; or alternatively an approved grey-water reuse system that collects grey water from the laundry and bathrooms and re-directs it for garden irrigation / ground water recharge; and
- (c) Installation of electric vehicle charging points (3-phase power) or the capacity for electric vehicle charging points to be installed at a later time; and
- (d) A rain garden with an area no less than 2% of the roof cover. For example, a dwelling with 100m<sup>2</sup> of roof cover will require a rain garden of at least 2m<sup>2</sup>.

## 6.2 New Dwellings (single and split density coding sites)

Each new dwelling shall comply with all of the following requirements:

- (a) Each dwelling shall be provided with a minimum 3kw photovoltaic solar panel system; and
- (b) Each dwelling shall be provided with a minimum 3,000L capacity rainwater tank that is plumbed to either a toilet or laundry within the dwelling; or alternatively an approved grey-water reuse system that collects grey water from the laundry and bathrooms and re-directs it for garden irrigation / ground water recharge; and
- (c) Installation of electric vehicle charging points (3-phase power) or the capacity for electric vehicle charging points to be installed at a later time; and
- (d) Roof structures are to have the following maximum solar absorptance ratings:
  - (i) Flat roof structures that are not visible from the street or adjacent properties – 0.4.
  - (ii) Pitched roof structures or roof structures that are visible from the street or adjacent properties – 0.5, unless otherwise required by Local Planning Policy – Heritage and Character, a Conservation Management Plan and/or a Heritage Assessment.

### Document Control

<b>Directorate</b>	Community Planning
<b>Business Unit</b>	Development and Place
<b>Inception Date</b>	[Insert OCM RESOLUTION NO & DATE]
<b>Version</b>	
<b>Next Review Date</b>	February 2024

## Attachment A: Sustainable Development Policy Credit Point Checklist

Proposed Development: \_\_\_\_\_

Address: \_\_\_\_\_

	Design Element	Credit Point Available	Credit Points Claimed	Comments
1.	Orientation - longest axis east west.	10		
	<i>Orientation of dwelling excluding garage and any associated storage area.</i>			
2.	North facing courtyard (or balcony for upper floor apartments), and main living areas.	12.5		
	Windows to living areas occupying a min 50% of the north facing wall.	12.5		
	<i>A roof overhang is to be provided beyond the main living area windows which is of a sufficient depth to provide shading to these openings during summer but which does not project to an extent so as to unreasonably block direct solar access during the winter months (e.g. for full height sliding doors, solid roofing is not to extend more than 2.4m beyond the sliding doors).</i>			
3.	Windows to bedrooms minimised in area and south facing. One bedroom window is permitted to face north.	15		
	<i>The available points are apportioned between the number of bedrooms that are contained within each respective dwelling. For example, a 3 bedroom dwelling which incorporates two bedrooms each with south facing windows (minimised in area) and a third bedroom with a window facing east or west would achieve a score of 10 points.</i>			
4.	Eastern and western walls are either blank or only have openings to non-habitable utility rooms.	10 (east) 10 (west)		
	<i>It is acknowledged that windows may need to be located on eastern or western facing walls for the purpose of cross ventilation. Where a secondary window to a habitable room is located on an eastern or western wall and is kept beneath 1 square metre in area, points will not be deducted for such windows.</i>			
	<i>Where the only window to a habitable room is located on an eastern or western facing wall, 5 points will be deducted for each opening, irrespective of size.</i>			
	<i>Where a patio or verandah roof projects a minimum of 3m beyond an east or west facing opening to a habitable room, points will not be deducted in relation to that opening.</i>			

5.	60% of all habitable rooms shall be cross ventilated through the provision of windows on walls that have opposing orientations.  (i.e. a bedroom with a south facing window and a secondary window of under 1 square metre on a western or eastern facing wall)	10		
<p><i>Part credit points are not allocated for this criterion.</i></p> <p><i>An open plan living / dining / kitchen area is treated as one room.</i></p>				
6.	The provision of either a solar pergola or solar hot water heating system or photovoltaic solar panel system.	15		
<p><i>Where a solar pergola is to be provided, it is to be positioned to the northern side of the main windows of the main living area of the dwelling and the louvres are to be fixed and positioned at 34 degrees to north.</i></p>				
7.	Landscaping design and plant selection to demonstrate compliance with low water use gardening principals.	5		
<p><i>A landscape plan is to be prepared by a relevant industry professional and is to be submitted in conjunction with the application for development approval.</i></p>				
<b>TOTAL</b>		<b>100</b>		<b>Score ≥ 70</b> Yes / No